



Lamp Cases For Model 2 Interlocking Machines

## Model 2 Electric Interlocking Machines

## Lamp Cases

NOTE: Lamps are not included with lamp cases complete and must be ordered separately. See Plate G0703, Figs. 40, 41, 42, 43, 44 and 45. When 60 volts or 125 volts, single contact bulbs Figs. 42 and 42a, are to be used specify when ordering lamp cases, so that receptacles may be properly assembled therein.

With double lamp cases, a glass lens or a composition bull's eye can be furnished. When ordering specify which is desired and color of same. See Figs. 22 and 23. Number of lever desired on number plate must also be specified. Unless otherwise specified standard number plates with blue figures on ground glass background will be furnished. Screws Ref. 26 for mounting lamp cases to interlocking machines are not included and must be specified separately.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
A	Single Lamp Case Complete, as shown, has single contact bayonet base receptacle. ....	32171-1 Gr. 1
A1	as above, except has double contact bayonet base receptacle. ....	32171-1 Gr. 3
A2	same as Fig. A, except has miniature screw base receptacle. ....	32171 Gr. 2
A3	same as Fig. A, except without lamp receptacle. ....	32171 Gr. 1
B	Single Lamp Case Complete, as shown, has push button, sealing cap and single contact bayonet base receptacle. ....	32171-3 Gr. 1
B1	as above, except has double contact bayonet base receptacle. ....	32171-3 Gr. 5
B2	same as Fig. B, except has miniature screw base receptacle. ....	32171-3 Gr. 2
B3	same as Fig. B, except without lamp receptacle. ....	
C	Single Lamp Case Complete, as shown, has push button and single contact bayonet base receptacle. ....	32171-3 Gr. 3
C1	as above, except has double contact bayonet base receptacle. ....	32171-3 Gr. 6
C2	same as Fig. C, except has miniature screw base receptacle. ....	32171-3 Gr. 4
C3	same as Fig. C, except without lamp receptacle. ....	32171-3 Gr. 9
D	Double Lamp Case Complete, as shown, has two single contact bayonet base receptacles. Specify color of upper case and whether glass lens or composition bull's eye is desired. ....	
D1	as above, except has two double contact bayonet base receptacles	

Model 2 Electric Interlocking Machines

Lamp Cases

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
D2	same as Fig. D, except has two miniature screw base receptacles	32171-4 Gr. 1
D3	same as Fig. D, except without lamp receptacles	32171-4 Gr. 2
E	Push Button Complete, as shown, for details and order references see Plate G0703 Fig. E	42410-2
1	Single Lamp Case, only, for lamp cases Figs. A, A1, A2 and A3	32190
2	Cover, for lamp cases Figs. A, B and C	34012
3	Screw, No. 6-32 x $\frac{3}{8}$ " rd. hd., for fastening cover Fig. 2 to lamp case, also for fastening washers Figs. 19 and 21 to lamp case	2552
4	Gasket, for use between name plate and cover	18014-15
5	Name Plate, for use on all lamp cases. Has blue figures on ground glass background. Specify lever number	52837
5a	as above, except black figures on milk white background	53697
6	Retainer, for name plate, for use on all lamp cases	45446
7	Lamp, as shown, for details and order references see Plate G0703	
8	Receptacle, single contact bayonet base, for all lamp cases	47551-1
8a	as above, except double contact bayonet base	47551-2
8b	same as Fig. 8, except miniature screw base	48205
9	Screw, No. 4-36 x $\frac{5}{8}$ " rd. hd., with hex. nut and washers for fastening receptacle to lamp case	15753 12680 13016-1
10	Screw, No. 4-36 x $\frac{3}{4}$ " rd. hd., with hex. nuts and washers, used as terminal post for receptacle	35848 12680 47847
11	Bushing, $\frac{1}{4}$ " lg., for bayonet base receptacles only	46750-1
12	Single Lamp Case, only, for lamp cases Figs. B, B1, B2 and B3	32190-4
13	Sealing Cap Complete, for lamp case Fig. B	46182 Gr. 1
13a	as above, except for use adjacent to double lamp case	46182-1 Gr. 1
14	Insulating Washer, for push button Fig. E	51041-4

(Continued on following page)

Model 2 Electric Interlocking Machines

Lamp Cases

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
15	Screw, No. 10-32 x $\frac{3}{8}$ " fl. hd., for fastening sealing cap to lamp case	6727
16	Screw, No. 10-32 x $\frac{5}{8}$ " rd. hd., for fastening push button to lamp case	2784
17	Single Lamp Case, only, for lamp cases Figs. C, C1, C2 and C3	32190-5
18	Double Lamp Case, only, for lamp cases Figs. D, D1, D2 and D3	34014-2
19	Washer, $\frac{1}{8}$ " th., for holding lens in cover	10168-1
20	Screw, No. 6-32 x $\frac{3}{4}$ " rd. hd., for fastening top of cover Fig. 24 to lamp case	4952
21	Washer, cork, for use between washer Fig. 19 and lens	39113-2
22	Glass Lens, red, for use on upper lamp case	31624-16
22a	as above, except yellow	31624-17
22b	same as Fig. 22, except green	31624-20
22c	same as Fig. 22, except clear	31624-29
22d	same as Fig. 22, except purple	31624-30
23	Composition Bull's Eye, red, for use on upper lamp case	47502-15
23a	as above, except amber	47502-16
23b	same as Fig. 23, except green	47502-17
24	Cover, as shown, for lamp cases Figs. D, D1, D2 and D3	34013-1
25	Plate, as shown, for lamp cases when no lever locks are used	32192
26	Screw, $\frac{1}{4}$ "-24 x $\frac{1}{2}$ " hex. hd., for fastening lamp case to interlocking machine	47574
27	Moulding, 17" lg., used at top of lamp cases	34009
28	Screw, $\frac{1}{4}$ "-24 x $\frac{1}{2}$ " fl. hd., for fastening moulding to lamp cases	5263