



A-Type D Illuminated Track Indicator
Illuminated Track Indicator

Type D Illuminated Track Indicator

Name and location of interlocking plant for which material is required should be shown on order. See Plate G1005 for lamps and lamp receptacles.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
Order by plate, figure number and name		
A	Type D Illuminated Track Indicator Complete, as shown, includes all riveted and welded parts, wire inlets and supports at bottom. Specify size of indicator and length of pipe supports when ordering.....	
A1	as above, except with wire inlets and pipe supports at top for suspending from ceiling. Specify size of indicator and length of pipe supports when ordering.....	
1	Moulding, for use at top and ends of indicator. Specify length.....	53385-8
2	Screw, No. 10-32 x 1/2" fr. hd., for fastening moulding and formica panel to frame.....	16758-9
3	Door Complete, as shown, includes hinges, latches and handles riveted in place.....	52711-17 Gr. 1
4	Brace, as shown, left hand, for holding door open.....	50634-3
4a	as above, except right hand.....	50634-2
5	Stud, for fastening braces Figs. 4 and 4a to frame, also for use on door as catch for brace.....	441-24
6	Washer, for stud Fig. 5.....	3890-1
7	Lamp Socket Complete, without lamp, and lamp cap. For details and order references see Plate G1005 Figs. A, B, C, D and E...	
8	Lamp Cap Complete, includes lens and holder. For details and order references see Plate G1005.....	
9	Formica Panel, for face of indicator. Specify size and drilling required	54133-19
10	Terminal Board, drilled for A.R.A. terminals. Specify length required.....	47710-11
11	Screw, No. 14-24 x 1 1/4" fl. hd., includes nut and washer, for fastening terminal board to strip welded to frame.....	{ 0380-10 42839 069

(Continued on following page)

Type D Illuminated Track Indicator

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
Order by plate, figure number and name		
12	Terminal Block Complete, as shown, A.R.A. standard, includes screws for mounting	46048 Gr. 6 0248
13	Moulding, for use at bottom of indicator. Specify length	
14	Flange, for track indicator	47698-3
15	Screw, $\frac{5}{16}$ "-18 x $1\frac{1}{4}$ " hex. hd., with hex. nut, for fastening flange Fig. 14 to frame	0712 43167
16	Pipe, 2", used as wire inlet and support for track indicator	
17	Flange, as shown, for track indicator	46091-4
18	Lamp. For details and order references see Plate G1005	
19	Traffic Direction Indicator Complete. For details and order references see Plate G1005	