



Type E Color Light Signal Units

## Type E Color Light Signal Units

**Note:** See foreword and order information, page 220, at the beginning of this part.

Unless otherwise specified, signal units as listed below, are furnished for mounting to a mast, and are not equipped with conduit inlet, Plate H2211, Fig. 6.

Unless otherwise specified, signals will be furnished without backlights.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
A	Type E Three-indication Color-light Signal Unit Complete, equipped with $8\frac{3}{8}$ " doublet lenses, background, hoods, support and adjusting bracket, as shown. Does not include lamp bulbs, transformers nor resistance units. . . . .	36722-16
A1	as above, except without background. . . . .	
B	Type E Three-indication Color-light Signal Unit Complete, with reserve light unit, equipped with $8\frac{3}{8}$ " doublet lenses, background, hoods, support and adjusting bracket as shown. Does not include lamp bulbs, transformers nor resistance units. . . . .	36722-17
B1	as above, except without background. . . . .	
C	Type E One-indication Color-light Signal Unit Complete, equipped with $8\frac{3}{8}$ " doublet lens, background, hood, support and adjusting bracket as shown, light unit on right hand side. Does not include lamp bulb, transformer nor resistance unit. . . . .	36722-14
D	Type E One-indication Color-light Signal Unit Complete, equipped with $8\frac{3}{8}$ " doublet lens, background, hood, support and adjusting bracket as shown, light unit on left hand side. Does not include lamp bulb, transformer nor resistance unit. . . . .	36722-14
E	Type E Two-indication Color-light Signal Unit Complete, equipped with $8\frac{3}{8}$ " doublet lenses, background, hoods, support and adjusting bracket, as shown. Does not include lamp bulbs, transformers nor resistance units. . . . .	36722-15

*(Continued on following page)*

# Type E Color Light Signal Units

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
E1	as above, except without background.....	
F	Flexible Conduit Complete, 1¼"-2', 3" long as shown, for carrying wires from mounting bracket coupling to signal mast. Includes outlet coupling. (1-8, 1-9.).....	
G	Flexible Conduit Complete, 1¼", length as specified, or as required, for carrying wires from signal support to trunking on bridges. Includes coupling. (1-10, 1-11.).....	
H	Flexible Conduit Complete, 1¼", length as specified or as required, for carrying wires from signal mast to trunking on bridges. Includes couplings. (1-9, 1-10, 1-11.).....	
1	Background Complete, with braces, bolts, nuts, etc., for three-indication Type E signal unit as shown in Fig. A. ....	49163-9
2	Background Complete, with braces, bolts, nuts, etc., for signal unit as shown in Fig. B. ....	49163-10
3	Background Complete, with braces, bolts, nuts, etc., for right-hand, one-indication Type E signal unit, as shown in Fig. C	49163-6
4	Background Complete, with braces, bolts, nuts, etc., for left-hand, one-indication Type E signal unit, as shown in Fig. D	49163-7
5	Background Complete, with braces, bolts, nuts, etc., for two-indication Type E signal unit, as shown in Fig. E. ....	49163-8
6	Support Complete. See Plate H2211, Fig. B. ....	
7	Adjusting Bracket Complete, with bolts for mounting a signal unit on a 5" mast .....	
8	Flexible Conduit only, 1¼"-2', 3" long, for Fig. F. ....	43355-14
9	Outlet Coupling Complete, for connecting flexible conduit to mast	43359
10	Flexible Conduit only, 1¼", length as specified or as required . .	
11	Coupling Complete, for connecting flexible conduit to trunking	45688