



A-SINGLE UNIT SIGNAL

B-TWO UNIT SIGNAL

Type F Color Light Ground Signal

## Type F Color Light Ground Signals

**Note:** See foreword and order information, page 240, at the beginning of this part.

While signals shown on this plate are listed with double relay cases only, they can be furnished with single relay cases when specified. For detail of relay cases, shelving and terminal board arrangement, see Plate E0911.

Concrete foundation and anchor bolts are not included with signal complete.

Conduit, Fig. 8, shown dotted, is furnished only when specified. When ordering relay boxes equipped with this conduit, specify on which side of box the conduit is to be located.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
A	Type F Color-light Ground Signal Complete, consisting of one three-indication signal unit equipped with 5" doublet lenses and mounted on double relay case as shown . . . . .	
B	Type F Color-light Ground Signal Complete, consisting of two three-indication signal units equipped with 5" doublet lenses and mounted on double relay case as shown . . . . .	
B1	as above, except lower signal unit is a two-indication unit. . .	
1	Type F Three-indication Signal Unit Complete, for details see Plate H2407, Fig. A1 . . . . .	
2	Mounting Socket Complete, with bolts for mounting signal unit to 2½" pipe . . . . .	
3	Spacer Complete, with bolts, for mounting two signal units together as shown . . . . .	
4	Mast, 3'—5⅝" long of 2½" pipe, with base for mounting on relay case as shown . . . . .	
5	Mast, 2'—10" long of 2½" pipe, with base for mounting on relay case as shown . . . . .	
6	Double Relay Box Complete, 6'—¾" high by 14" wide by 12¾" deep. See Plate E0911 for details. . . . .	
7	Double 2" Conduit Complete, with outlet boxes as shown dotted. Furnished only when specified. . . . .	
7a	as above, except single 2" conduit complete with outlet boxes.	

(Continued on following page)

# Type F Color Light Ground Signals

Drawing references are shown for convenience in checking shipping lists and invoices

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
8	Ladder Complete, with stays, clamps and bolts for single unit three-indication signal. . . . .	
9	Ladder Complete, with stays, clamps and bolts for two unit, three-indication signal. . . . .	
10	Number Plate, with screws for mounting, numbered as specified. (Not furnished with signal complete unless specified)	