



Type F Three Unit Color Light Signals

## Type F Color Light Ground Signals

**Note:** See foreword and order information, page 240, at the beginning of this part.

For detail of relay cases, shelving and terminal board arrangement, see Plate E0911.

Concrete foundation and anchor bolts are not included with signal complete.

Conduit, Fig. 10 shown dotted, is furnished only when specified.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
A	Type F Color-light Ground Signal Complete, consisting of two three-indication signal units and one single-indication signal unit equipped with 5" doublet lenses and mounted on double relay case as shown. Lower signal unit has yellow lens which is used for a "Calling on Signal" .....	
A1	as above, except center signal unit is a two-indication unit...	
B	Type F Color-light Ground Signal Complete, consisting of two three-indication signal units and one two-indication signal unit equipped with 5" doublet lenses and mounted on double relay case as shown .....	
B1	as above, except center signal unit is a two-indication unit...	
1	Type F Three-indication Signal Unit Complete, for detail see Plate H2407, Fig. A1 .....	
2	Type F One-indication Signal Unit Complete. This lighting unit is a duplicate of the lighting units used in the three-indication signal unit; it has a yellow doublet lens for use as a "Calling on" or slow speed indication .....	
3	Type F Two-indication Signal Unit Complete, for details see Plate H2405, Fig. A1 .....	
4	Spacer Complete, with bolts for mounting two signal units together as shown .....	
5	Mounting Socket Complete, with bolts, for mounting signal unit to 2½" pipe .....	
6	Mast, 1'—10" long of 2½" pipe with base for mounting on relay case as shown .....	

*(Continued on following page)*

# Type F Color Light Ground Signals

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
<b>Order by plate, figure number and name</b>		
7	Mast, 1'-0" long of 2½" pipe, with base for mounting on relay case as shown.....	
8	Double Relay Box Complete, 6'-¾" high, by 14" wide by 12¾" deep. See Plate E0911 for details.....	
9	Ladder Complete, with stays, clamps and bolts for signals shown in Figs. A and B.....	
10	Double 2" Conduit Complete, with outlet boxes, as shown dotted. Furnished only when specified. When ordering relay boxes equipped with this conduit, specify on which side of box the conduit is to be located.....	
10a	as above, except Single 2" Conduit Complete, with outlet boxes.....	
11	Number Plate, with screws for mounting, numbered as specified. (Not furnished with signal complete unless specified).....	