



Type SA Color-Light Bracket Signals

Type SA Color-Light Bracket Signals

Note: See foreword and ordering information at the beginning of this part.

See Plate H2631 for signal unit with stepped lens and H2635 for signal unit with compound lens.

When masts of greater height than those shown are required or if different spacing between lights is required, please specify on order.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
Order by plate, figure number and name		
A	Type SA Color-Light Bracket Signal Complete, consisting of one, three-indication signal unit with stepped or compound lenses as specified and with base for mounting as shown. Marker lights are not included and must be ordered separately.	45906-97
B	Type SA Color-Light Bracket Signal Complete, consisting of two, three-indication signal units with stepped or compound lenses as specified and with base and ladder as shown.	45906-97
C	Type SA Color-Light Bracket Signal Complete, consisting of three, three-indication signal units with stepped or compound lenses as specified and with base and ladder as shown.	45906-97
1	Type SA Three-indication Signal Unit Complete, with stepped lens. For details and order references see Plate H2631.	53051-6
1a	as above, except with compound lens. For details and order references see Plate H2635.	53051-7
2	Background, as shown, for use with 8 $\frac{3}{8}$ " dia. lens.	49162-25
2a	as above, except for use with 10 $\frac{1}{2}$ " dia. lens.	49162-24
3	Hood, as shown, for use with 8 $\frac{3}{8}$ " dia. lens.	49127-19
3a	as above, except for use with 10 $\frac{1}{2}$ " dia. lens.	49127-20
4	Pole and Base, for one unit signal, Fig. A.	48848-1 Gr. 8
5	Pole and Base, for two unit signal, Fig. B.	48848-1 Gr. 21
6	Pole and Base, for three unit signal, Fig. C.	48848-1 Gr. 16
7	Coupling, as shown, for 1 $\frac{1}{2}$ " flexible conduit.	45688-15 Gr. 1
8	Conduit, 1 $\frac{1}{2}$ " x 2'-7" lg., for signal unit.	48525-2
9	Ladder Complete, includes handrails, platform, stays, clamps, and bolts. For use with Fig. A.	310-94 Gr. 1

(Continued on following page)

Type SA Color-Light Bracket Signals

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
Order by plate, figure number and name		
10	Ladder Complete, includes handrails, platform, stays, clamps, and bolts. For use with Fig. B.	310-94 Gr. 5
11	Ladder Complete, includes handrails, platform, stays, clamps, and bolts. For use with Fig. C.	310-95 Gr. 1
12	Type W Light Unit Complete, for use as marker light. For details and order references see Section H, Part 32.	53127
12a	as above, except Type SA Light Unit. For details and order references see Plate H2639.	
13	Hood, as shown, for Type W Light Unit.	49127-19
14	Clamp Complete, as shown, includes U bolt, for supporting Type W Light Unit, for 5" mast.	53126 Gr. 1
15	U Bolt Complete, for fastening signal units to 5" pipe.	16209-4 Gr. 1
15a	as above, except for fastening signal units to 4" pipe.	16209-5 Gr. 1
15b	same as Fig. 15, except for fastening signal units to 6" pipe.	16209-6 Gr. 1
16	Coupling Complete, for 1½" flexible conduit. For use on trunking as shown.	45688-3 Gr. 1
17	Wood Screw, No. 14 x 1¼" rd. hd. for fastening coupling Fig. 16 to trunking.	35116
18	Conduit Complete, as shown.	41659 Gr. 9
19	Pinnacle Complete, as shown, for 5" mast.	56894 Gr. 2
20	Lock Nut, 1¼" hex., for Type W Light Unit.	47154
21	Bolt, 1" x 4" sq. hd., with hex. nut, for mounting signal.	29800
22	Washer, 1", for bolt Fig. 21.	074