



Frame for Model 2 Interlocker

Model 2 Electric Interlocking Machines

Frame Details

NOTE: Frame details listed below are for use on Model 2 Interlocking Machine shown on Plate G0101 and Model 2 Unit-Lever Type Interlocking Machine shown on Plate G0105.

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
Order by plate, figure number and name		
1	Bed, for four lever spaces.....	3975
1a	as above, except for eight lever spaces.....	1585
1b	same as Fig. 1, except for twelve lever spaces.....	1968
1c	same as Fig. 1, except for sixteen lever spaces.....	1586
1d	same as Fig. 1, except for twenty lever spaces.....	1969
1e	same as Fig. 1, except for twenty-four lever spaces.....	1587
1f	same as Fig. 1, except for twenty-eight lever spaces.....	1970
1g	same as Fig. 1, except for thirty-two lever spaces.....	1588
1h	same as Fig. 1, except for thirty-six lever spaces.....	1971
1j	same as Fig. 1, except for forty lever spaces.....	1589
1k	same as Fig. 1, except for forty-eight lever spaces.....	1590
2	Leg, for machines with one, two or three tiers of locking.....	6872
2a	as above, except for use with machines with four tiers of locking..	33679
3	Bar, 3/4" x 3", for supporting locking plates on machines having two or more tiers of locking. Specify length.....	6871
4	Screw, 1/2"-13 x 1 1/4" hex. hd., includes washer, for fastening bar Fig. 3 to leg of machine.....	{ 5255 091
5	Screw, 1/2"-13 x 2 1/2" hex. hd., includes hex. nut, for fastening beds together.....	{ 3065 1048
6	Screw, 1/2"-13 x 2" hex. hd., includes hex. nut, for fastening bed to leg.....	{ 9209 1048
7	Bracket, for supporting circuit controllers and 16" terminal board, used when circuit controller operating rod is connected to stud set in top of lever.....	32248
7a	as above, except for use when circuit controller operating rod is connected to end of lever by means of a cotter pin or jaw.....	21243

(Continued on following page)

Model 2 Electric Interlocking Machines

Frame Details

Drawing references are shown for convenience in checking shipping lists and invoices.

Fig. No.	Name	Drawing Reference
Order by plate, figure number and name		
7b	same as Fig. 7a except for supporting circuit controllers and 12" terminal board.....	4806
7c	same as Fig. 7a except for supporting circuit controllers and 8½" terminal board.....	1568
8	Bar, ¾" x 1", for supporting lever guides. Specify length.....	1437
9	Screw, 5/16"-18 x 1¾" fl. hd., for mounting bar Fig. 8 to bracket..	2462-1
10	Bar, 3/8" x 7/8", for supporting circuit controllers. Specify length..	1179
11	Screw, ¼"-24 x ¾" fl. hd., for mounting bar Fig. 10 to bracket..	2453
12	Screw, 5/16"-18 x 1¼" sq. hd., for fastening bracket Fig. 7 to bed..	2458

(Continued on following page)