

1 AND 2-UNIT, TWO AND THREE-COLOR STYLE "R" AND "TR" LIGHT BRIDGE AND BRACKET POST SIGNALS, COMPLETE WITH POSTS AND FITTINGS

### 1 AND 2-UNIT, TWO AND THREE-COLOR STYLE "R" AND "TR" LIGHT BRIDGE AND BRACKET POST SIGNALS, COMPLETE WITH POSTS AND FITTINGS

For Signal Units Refer to Plate B-2525, B-2527, B-2540 and B-2543

Unless Otherwise Specified, all Two-Color Signal Units will be Furnished with Green (Top) and Red (Bottom) Lenses, Three-Color Signal Units with Green (Top), Yellow (Middle) and Red (Bottom) Lenses, and Style "TR" Signal Units with Red (Bottom), Yellow (Upper Right) and Green (Upper Left) Lenses, 10-Volt, 18-Watt Lamps and 1¼" Flexible Conduit

Backlight can be Furnished on all Signals Except Two-Color A.C. Signal Units
Having Individual Transformers, but is not Included Unless
Mentioned in Order

## Order by Plate, Piece, Reference and Description

Drawing references are shown for convenience in checking material with shipping lists and invoices.

Piece	Ref.	Description	Drawing Reference
113872	A	1-Unit, Three-Color D. C. (or A. C. without individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings	B-10325-55
113872	Aa	1-Unit, Three-Color A. C. (with individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings. (Specify voltage and frequency)	B-10325-55
116520	В	1-Unit, Three-Color D. C. (or A. C. without individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings	B-10325-64
116520	Ba	1-Unit, Three-Color A. C. (with individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings. (Specify voltage and frequency).	B-10325-64
83719.	C	2-Unit, Two-Direction, Three-Color D. C. (or A. C. without individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings	B-10325-37
83719	Ca	2-Unit, Two-Direction, Three-Color A. C. (with individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings. (Specify voltage and frequency)	B-10325-37
122525	D	1-Unit, Three-Color D. C. (or A. C. without individual Transformers) Style "TR" Light Bridge Signal, complete, with Post and Fittings	B-10325-82

# 1 AND 2-UNIT, TWO AND THREE-COLOR, STYLE "R" AND "TR" LIGHT BRIDGE AND BRACKET POST SIGNALS, COMPLETE WITH POSTS AND FITTINGS

(Continued)

For Signal Units Refer to Plate B-2525, B-2527, B-2540 and B-2543

Unless Otherwise Specified, all Two-Color Signal Units will be Furnished with Green (Top) and Red (Bottom) Lenses, Three-Color Signal Units with Green (Top), Yellow (Middle) and Red (Bottom) Lenses, and Style "TR" Signal Units with Red (Bottom), Yellow (Upper Right) and Green (Upper Left) Lenses, 10-Volt 18-Watt Lamps and 1¼" Flexible Conduit

Backlight can be Furnished on all Signals Except Two-Color A.C. Signal Units
Having Individual Transformers, but is not Included Unless
Mentioned in Order

### Order by Plate, Piece, Reference and Description

Drawing references are shown for convenience in checking material with shipping lists and invoices.

Piece	Ref.	Description	Drawing Reference
122525	Da	1-Unit, Three-Color A. C. (with individual Transformers mounted in Case on Post as shown on Plate B-2543) Style "TR" Light Bridge Signal, complete, with Post and Fittings. (Specify voltage and frequency)	B-10325-82
116012	Е	2-Unit, Two-Color D. C. (or A. C. without individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings	B-10325-62
116012	Ea	2-Unit, Two-Color A. C. (with individual Transformers) Style "R" Light Bridge Signal, complete, with Post and Fittings. (Specify voltage and frequency)	B-10325-62
	F	1-Unit, Three-Color D. C. (or A. C. without individual Transformers) Style "R" Light Bracket Post Signal, complete with Post and Fittings	B-10325-
	Fa	1-Unit, Three-Color A. C. (with individual Transformers) Style "R" Light Bracket Post Signal, complete, with Post and Fittings. (Specify voltage and frequency)	B-10325-
113863	2	Post, 5" casing, complete, with cap and bolts as shown for A and Aa	B-9893-74
116512	3	Post, 5" Casing, complete with Base as shown for B and Ba	B-9893-41
83714	4	Post, 5" Casing, complete with Base as shown for C and Ca	B-9893-41

### 1 AND 2-UNIT, TWO AND THREE-COLOR STYLE "R" AND "TR" LIGHT BRIDGE AND BRACKET POST SIGNALS, COMPLETE WITH POSTS AND FITTINGS

(Continued)

For Signal Units Refer to Plate B-2525, B-2527, B-2540 and B-2543

Unless Otherwise Specified, all Two-Color Signal Units will be Furnished with Green (Top) and Red (Bottom) Lenses, Three-Color Signal Units with Green (Top), Yellow (Middle) and Red (Bottom) Lenses, and Style "TR" Signal Units with Red (Bottom), Yellow (Upper Right) and Green (Upper Left) Lenses, 10-Volt, 18-Watt Lamps and 1¾" Flexible Conduit

Backlight can be Furnished on all Signals Except Two-Color A.C. Signal Units
Having Individual Transformers, but is not Included Unless
Mentioned in Order

### Order by Plate, Piece, Reference and Description

Drawing references are shown for convenience in checking material with shipping lists and invoices.

Piece	Ref.	Description	Drawing Reference
122524	5	Post, 5" Casing, complete with Base as shown for D and Da	B-9893-71
116007	6	Post, 5" Pipe, complete with Base as shown for E and Ea	B-9893-79
97094	7	Ladder, complete, 7'-9" long, as shown for E and Ea.	B-10313-183
69910	8	Pinnacle, complete	B-8121-16
113869	9	Cap for 5" Casing, for 2	B-8255-2
-6.12	10	Tap Bolt, \( \frac{1}{4}'' - 20 \) x \( \frac{3}{8}'' \) Hex. Hd. S. for 9	
	11	Post, 5" Pipe, complete with R. S. A. Base as shown for F and Fa	B-9893-