
UNION SWITCH & SIGNAL CO.



2-UNIT, TWO AND THREE-COLOR STYLE "N" LIGHT GROUND SIGNALS, COMPLETE WITH POSTS AND MOUNTING FITTINGS

UNION SWITCH & SIGNAL CO.

2-UNIT, TWO AND THREE-COLOR STYLE "N" LIGHT GROUND SIGNALS, COMPLETE WITH POSTS AND FITTINGS

For Signal Units Refer to Plate B-2560

Unless Otherwise Specified, Signals will be Furnished Having Dimensions as Shown, 30-Volt, 36-Watt Lamps, and all Two-Color Signal Units with Green (Top) and Red (Bottom) Lenses, and the 3-Color Signal Units with Red (Bottom), Yellow (Middle) and Green (Top) Lenses

Backlight can be Furnished on all Signals, but is not Included Unless Mentioned in Order

Order by Plate, Piece, Reference and Description

Drawing references are shown for convenience in checking material with shipping lists and invoices.

Piece	Ref.	Description	Drawing Reference
	A	2-Unit, Two and Three-Color Style "N" Light Ground Signal, complete with Post and Fittings, (without backgrounds)	B-10325-38
	Aa	2-Unit, Two and Three-Color Style "N" Light Ground Signal, complete, with Post, Fittings and Backgrounds	B-10325-
	В	2-Unit, Two and Three-Color Style "N" Light Ground Signal, complete with Post, Fittings and Instrument Case, (without Backgrounds)	B-10325-50
9835.3	Ba	2-Unit, Two and Three-Color Style "N" Light Ground Signal, complete with Post, Fittings, Backgrounds and Instrument Case	B-10325
	С	2-Unit, Three-Color Style "N" Light Ground Signal, complete with Post, Fittings and Backgrounds	B-10325
. 19148	Ca	2-Unit, Three-Color Style "N" Light Ground Signal, complete with Post and Fittings, (without Backgrounds)	B-10325
i i	D	2-Unit, Three-Color Style "N" Light Ground Sig- nal, complete with Post, Fittings, Backgrounds and Instrument Case	B-10325-49
	Da	2-Unit, Three-Color Style "N" Light Ground Signal, complete with Post, Fittings and Instrument Case, (without Backgrounds)	B-10325-
	2	Post, 4" Pipe, complete with Base for A and Aa	B-9893-3
10	3	Post, 4" Pipe, complete with Base for B and Ba	B-9893-3
	4	Post, 4" Pipe, complete with Base for C and Ca	B-989

UNION SWITCH & SIGNAL CO.

2-UNIT, TWO AND THREE-COLOR STYLE "N" LIGHT GROUND SIGNALS, COMPLETE WITH POSTS AND FITTINGS

(Continued)

For Signal Units Refer to Plate B-2560

Unless Otherwise Specified, Signals will be Furnished Having Dimensions as Shown, 30-Volt, 36-Watt Lamps, and all Two-Color Signal Units with Green (Top) and Red (Bottom) Lenses, and the 3-Color Signal Units with Red (Bottom), Yellow (Middle) and Green (Top) Lenses

Backlight can be Furnished on all Signals, but is not Included Unless Mentioned in Order

Order by Plate, Piece, Reference and Description

Drawing references are shown for convenience in checking material with shipping lists and invoices.

Piece	Ref.	Description Drawing Reference
	5	Post, 4" Pipe, complete with Base for D and Da B-9893-56
-612004	. 6	Ladder, complete, 15'-8" long, for A, Aa, B and Ba. (For details refer to Plate B-2585)
2801-6	7	Ladder, complete, 18'-2" long, for C and Ca. (For details refer to Plate B-2585)B-10313-277
-31501	8	Ladder, complete, 18'-2" long, for D and Da. (For details refer to Plate B-2585)B-10313-193
68687	9	Instrument Case, complete for B, Ba, D and Da. (For details refer to Plate B-2595)
93408	10	Pinnacle, complete
62563	. 11	Ladder Foundation Pier with two $\frac{1}{2}$ " x $1\frac{1}{4}$ " Sq. Hd. Bolts and Hex. Nuts B-8848-16
10275	12	Foundation Bolt, $\frac{3}{4}$ " x 2'-6", with Hex. Nut and Plate Washer
10276	13	Foundation Bolt, 1" x 3'-0", with Hex. Nut and Plate Washer