
## UNION SWITCH & SIGNAL CO.



1-UNIT, THREE-COLOR STYLE "P-2" LIGHT GROUND SIGNALS

#### UNION SWITCH & SIGNAL CO.

### 1-UNIT, THREE-COLOR STYLE "P-2" LIGHT GROUND SIGNALS

For Signal Units refer to Plates B-2735 and B-2745.

Unless otherwise specified all Signals will be furnished having dimensions as shown, Unit with Red Bottom, Yellow Middle and Green Top Lenses and with 10-Volt, 18-Watt double filament Lamps.

Backlight can be furnished on bottom light of all Signals but is not included unless mentioned in order. Signal Units can be furnished with individual Transformers for alternating current, if desired, orders should so state, specifying voltage and frequency.

#### Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only.

		1-Unit, Th	ree-Color S	tyle "P-2" Light Ground Signa	l
Piece	Ref.	Unit Ref. Pl. B-2735	Size of Post	Remarks	Drawing Reference
	A	В	5" Casing	D.C. or A.C. without Individual Transformers	B-10325
	Aa	Ва	5" Casing	A.C. with Individual Transformers (Orders should specify voltage and frequency)	B-10325
	В	В	5" Casing	With Instrument Case Ref. 5 D.C. or A.C. without Indi- vidual Transformers	B-10325
	Ba	Ва	5" Casing	With Instrument Case Ref. 5 A.C. with Individual Trans- formers (Orders should spec- ify voltage and frequency)	B-10325
Piece	Ref.	Description			Drawing Reference
	2	Three-Color Style "P-2" Signal Unit (D.C. or A.C. without Individual Transformers) Top Lens Green, Middle Lens Yellow and Bottom Lens Red (for details refer to Plate B-2735)			B-10325-110
149063	3		Casing, 11' 2	2½" long with Base, for Refs.	B-12440-27
	4		Casing, 7′ 1	0" long with Base, for Refs.	B-12440
68687	5	Instrument Case (If any other case or lining is desired reference should be made to Plate L-1135)			C-7589-6

#### UNION SWITCH & SIGNAL CO.

# 1-UNIT, THREE-COLOR STYLE "P-2" LIGHT GROUND SIGNALS (Continued)

# Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only.

Piece	Ref.	Ref. Description	
142754	6	Ladder, 11' 3" long, complete with Stay for Refs. A, Aa, B and Ba	B-10313-402
10276	7	Foundation Bolt, 1"x3' 0" with Hex. Nut and Plate Washer	7913–54
62563	8	Ladder Foundation Pier with two ½"x1¼" Sq. Hd. Bolts and Hex. Nuts	B-8848-10