



**Mounting Brackets for Searchlight Signals and Marker Lights**

## Color Light Searchlight Signal

### Detail Parts

## Brackets for Attaching Searchlight Signal and Marker Light to Mast

Order by Plate, Piece, Reference and Abbreviated  
Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
194419	A	Adjusting Bracket Complete for Front or Side of Mast Application, for H, H-2 and H-5 Signals and for front top of mast mounting for H-5 Signals. With Bolt, Washer and Nuts (Without U-bolts) . .	C-9105-9
149919	B	Adjusting Bracket Complete for attaching Marker Lights, Plates B-2894 and B-2895 to 5" and 6" Pipe Mast; with Pins, Eye Bolt, Bolts, Nuts and Washers (Without U-bolts) "X" dimension 9 $\frac{5}{8}$ "; "Y" dimension 9" . . . . .	C-8964-65
148526	Ba	Adjusting Bracket Complete for attaching Marker Lights, Plates B-2894 and B-2895 to 5" and 6" Pipe Mast; with Pins, Eye Bolt, Bolts, Nuts and Washers (Without U-bolts) "X" dimension 15 $\frac{5}{8}$ "; "Y" dimension 15" . . . . .	C-8964-65
144207	C	Adjusting Bracket Complete for Side of Mast Application for H and H-2 Signals. With Bolts, Washers and Nuts (Without U-bolts) . . . . .	C-9105-5
147517	D	Adjusting Bracket Complete for Front Top of Mast Application for H and H-2 Signals and Side of Mast Application for H-5 Signal. With Bolt, Washer and Nuts (Without U-bolts) . . . . .	C-9105-9
162983	2	Adjusting Bracket Only, for Ref. A . . . . .	C-9105-15
147483	2a	Adjusting Bracket Only, for Ref. D . . . . .	C-9105-7
147489	3	Adjusting Bracket Only, for Ref. C . . . . .	C-9105-8
144205	4	Supporting Bracket for Refs. A, C and D . . . . .	C-9105-3
81667	5	Bolt, 1"x5" with $\frac{1}{4}$ "x1 $\frac{1}{2}$ " S. Cotter (Cad. Pl.), two Nuts Ref. 7 and Washer Ref. 6 . . . . .	8479-196
80821	6	Washer . . . . .	7826-20
	7	Hex. Jam Nut, 1" (Cad. Pl.)	
149918	8	Supporting Arm for Ref. B . . . . .	C-8964-69
148494	8a	Supporting Arm for Ref. Ba . . . . .	C-8964-64

# Color Light Searchlight Signal

## Detail Parts

### Brackets for Attaching Searchlight Signal and Marker Light to Mast

(Continued)

Order by Plate, Piece, Reference and Abbreviated  
Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
125752	9	Supporting Bracket for Refs. B and Ba ( $\frac{3}{4}$ " Pipe Tap).....	C-8964-25
148525	10	Adjusting Bracket for Refs. B and Ba.....	C-8964-65
16458	11	Pin, $\frac{5}{8}$ "x $5\frac{3}{4}$ " with two $\frac{3}{16}$ "x $1\frac{1}{8}$ " Cotters (Tin Pl.)..	B-10216-1
24289	12	Pin, $\frac{1}{2}$ "x $2\frac{3}{8}$ " with two $\frac{1}{8}$ "x $\frac{3}{4}$ " Cotters (Tin Pl.)..	B-10215-1
125826	13	Eye Bolt.....	8034-66
43931	14	$\frac{3}{4}$ " U-bolt Complete with $\frac{3}{4}$ " Hex. Nuts for 5" Pipe.	8782-66
44199	14a	$\frac{3}{4}$ " U-bolt Complete with $\frac{3}{4}$ " Hex. Nuts for 6" Pipe.	8782-69
97657	14b	$\frac{3}{4}$ " U-bolt Complete with $\frac{3}{4}$ " Hex. Nuts for 5" Casing.....	8782-66
	15	Plate Washer ( $\frac{5}{8}$ " Steel) Cad. Pl.	
	16	Hex. Nut, $\frac{5}{8}$ "-11 (Cad. Pl.)	