


UNION SWITCH & SIGNAL CO.



**SUBWAY COLOR LIGHT SIGNALS WITH SINGLE 5" LENSES  
(MULTIPLE UNIT TYPE)**

UNION SWITCH & SIGNAL CO.

SUBWAY COLOR LIGHT SIGNALS WITH SINGLE 5" LENSES  
(MULTIPLE UNIT TYPE)

Unless otherwise specified, 3 light units will be furnished with top lens "Green," middle lens "Yellow" and bottom lens "Red." One light unit with "Yellow" lens.

(For Application to "I" Beams or columns see Plate B-3420)

Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only

Color Light Signal Complete with Mounting Bracket and Lamps (Assembled as Outlined) Order should specify numbers desired on number plates							
Piece	Ref.	3 Light Unit with Illuminated No. Plate Green-Yellow-Red	Illuminated Letter "S" Unit	1 Light Unit	Spacer Box Ref. 5	Lamp Bulbs	Drawing Reference
163678	A	1-Ref. 8	none	none	none	14 Volt, 15 Watt Screw Base	B-10325-289
159025	Aa	1-Ref. 7	none	none	none	10 Volt, 5 Watt Bayonet Base	B-10325-241
158808	B	1-Ref. 7	1-Ref. 9	none	none	10 Volt, 5 Watt Bayonet Base	B-10325-218
	C	2-Ref. 8	none	none	1-Ref. 5	14 Volt, 5 Watt Screw Base	B-10325-278
162107	D	2-Ref. 8	none	1-Ref. 11	1-Ref. 5	14 Volt, 5 Watt Screw Base	B-10325-278
159304	Da	2-Ref. 7	none	1-Ref. 10	none	10 Volt, 5 Watt Bayonet Base	B-10325-219
159312	E	2-Ref. 7	1-Ref. 9	1-Ref. 10	none	10 Volt, 5 Watt Bayonet Base	B-10325-265

UNION SWITCH & SIGNAL CO.

SUBWAY COLOR LIGHT SIGNALS WITH SINGLE 5" LENSES  
(MULTIPLE UNIT TYPE)  
(Continued)

Unless otherwise specified, 3 light units will be furnished with top lens "Green," middle lens "Yellow" and bottom lens "Red." One light unit with "Yellow" lens.

(For Application to "I" Beams or columns see Plate B-3420)

Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
164292	2	Bracket, for mounting signal units to "I" Beams, Columns or Walls.....	C-9060-32
	3	Tap Bolt, 5/8"-11x1 1/2" Hex. Hd. S. with 5/8" Plain S. Lock Washer (3/16"x3/32") for fastening Ref. 2 to Signal Unit (Cad. Pl.).	
	4	Bolt, 5/8"-11x1 5/8" Hex. Hd. S. with 5/8" Hex. Nut and 5/8" Plain S. Lock Washer (3/16"x3/32") used to fasten Signal Units together (Cad. Pl.).	
162119	5	Spacer Box.....	C-9060-24
	6	Bolt, 5/8"-11x4 3/4" Hex. Hd. S. with 5/8" Plain S. Lock Washer (3/8"x3/32") and 5/8" Hex. Nut for attaching Spacer box to Signal Units.	
	7	Three-Color Subway Light Signal Unit, complete with 5" Single Lenses (Top Lens "Green," Middle Lens "Yellow" and Bottom Lens "Red" and number plate unit; 10 Volt, 5 Watt Bayonet Base Lamps) (For details refer to Plate B-3425) (Order should specify number desired on Number Plate)	C-6769-34
	8	Three-Color Subway Light Signal, complete with 5" Single Lenses (Top Lens "Green," Middle Lens "Yellow" and Bottom Lens "Red" and number plate unit; 14 volt, 5 Watt Screw Base Lamps) (For details refer to Plate B-3430) Order should specify number desired on Number Plate).....	C-6769-44
159131	9	Illuminated Letter "S" with 10 Volt, 5 Watt Bayonet Base Lamps (For details refer to Plate B-3450).....	C-6769-42
159127	10	One-Color Light Signal complete with 5" Single Yellow Lens, and 10 Volt, 5 Watt Bayonet Base Lamp Bulb (For details refer to Plate B-3445)....	C-6769-32
	11	One-Color Light Signal complete with 5" Single Yellow Lens, and 14 Volt, 5 Watt Screw Base Lamp Bulb (For details refer to Plate B-3445)....	C-6769-43