



ONE-COLOR LIGHT SIGNAL UNIT WITH ILLUMINATED LETTER

UNION SWITCH & SIGNAL CO.

ONE-COLOR LIGHT SIGNAL UNIT WITH  
ILLUMINATED LETTER

Order by Plate, Piece, Reference and Abbreviated Description Given in  
Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
179138	A	One-Color Light Signal Unit with Illuminated Letter "S" and 120-Volt, 36-Watt Screw Base Lamp Bulbs	C-6769-49
190519	Aa	One-Color Light Signal Unit with Illuminated Letter "T" and 120-Volt, 36-Watt Screw Base Lamp Bulbs	C-6769-49
179224	2	Case and Door (Inc. 1-2a, 1-3, 1-4, 2-5, 1-6, 1-7 and 1-8)	C-6769-49
179180	2a	Case Only, for Ref. 2	C-9060-36
	3	Door with Holder, Screen, Screws, Flax Packing and Pins, (Inc. 1-3a, 2-5, 2-9, 2-9a, 8-9b and 1-10)	C-9060-37
179181	3a	Door Only, for Ref. 3	C-9060-37
163100	4	Hasp	8299-115
50679	5	Pin, $\frac{3}{8}$ "x $2\frac{1}{2}$ " for attaching Door to Case	B-10207-1
163073	6	Eye Bolt with $\frac{1}{2}$ " Hex. Nut	8034-197
163094	7	Collar	8072-646
53780	8	Pin, $.136$ "x $\frac{3}{4}$ " for Ref. 7	8097-665
21918	9	Holder	B-7318-5
21919	9a	Screen	B-7318-5
	9b	Machine Screw, No. 10-30x $\frac{1}{4}$ " Rd. Hd. S. (Cad. Pl.)	
	10	Flax Packing, $\frac{3}{8}$ "x $\frac{3}{8}$ "x3'-5" Long	
179223	11	Lens Unit with Clear Lens	C-8901-12
	12	Tap Bolt, $\frac{3}{8}$ "-16x1" Hex. Hd. with $\frac{3}{8}$ " Pl. S. Lock Washer ( $\frac{5}{8}$ "x $\frac{3}{2}$ " (Cad. Pl.)	

UNION SWITCH & SIGNAL CO.

ONE-COLOR LIGHT SIGNAL UNIT WITH  
ILLUMINATED LETTER

(Continued)

Order by Plate, Piece, Reference and Abbreviated Description Given in  
Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
162101	13	Terminal Connector . . . . .	8064-688
137485	14	Adapter Unit Complete for Ref. A (Letter "S") . . . .	C-8901-71
190518	14a	Adapter Unit Complete for Ref. Aa (Letter "T") . . .	C-8901-71
	15	Machine Screw, No. 14-24x2 $\frac{1}{4}$ " Rd. Hd. S. (Cad.Pl.)	
113788	16	Lens Housing Only, for Ref. 11 . . . . .	C-8901-30
71330	17	Clear Back Lens, 5 $\frac{1}{2}$ " Diam. . . . .	B-8276-23
71186	18	Clear Front Lens, 8 $\frac{3}{8}$ " Diam. . . . .	B-8276-22
76735	19	Clip . . . . .	11893-31
	20	Machine Screw, No. 10-30x $\frac{1}{4}$ " Fil. Hd. Br.	
	21	Machine Screw, No. 10-30x $\frac{3}{8}$ " Rd. Hd. Br.	
	22	Machine Screw, No. 10-30x $\frac{5}{8}$ " Fil. Hd. Br.	
	23	Machine Screw, No. 10-30x $\frac{1}{4}$ " Rd. Hd. Br.	
71187	24	Lens Ring . . . . .	7436-106
65898	25	Hood . . . . .	C-8842-15
111760	26	Lamp Support . . . . .	11893-121
111757	27	Locking Plate . . . . .	9999-119
	28	Machine Screw, No. 10-30x $\frac{1}{2}$ " Fil. Hd. Br. with No. 10 Pl. S. Lock Washer ( $\frac{1}{8}$ "x $\frac{3}{4}$ " ) and Washer Ref. 28a	
26381	28a	Washer . . . . .	7826-78

UNION SWITCH & SIGNAL CO.

ONE-COLOR LIGHT SIGNAL UNIT WITH  
ILLUMINATED LETTER

(Continued)

Order by Plate, Piece, Reference and Abbreviated Description Given in  
Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
87214	29	Receptacle . . . . .	B-9954-11
	30	Machine Screw, No. 14-24x $\frac{3}{8}$ " Rd. Hd. Br. Used for plugging holes in Lens Housing when Adapter Unit is not used	
84244	31	Ventilator . . . . .	7318-64
135666	32	Roundel Housing, for Refs. 14 and 14a . . . . .	C-8901-72
90894	33	Lens Ring . . . . .	7436-105
135669	34	Frosted Roundel . . . . .	8468-44
137427	35	Roundel (Clear letter "S" on Black painted glass) . . . . .	8468-49
190388	35a	Roundel (Clear letter "T" on Black painted glass) . . . . .	8468-67
76736	36	Felt Gasket . . . . .	8078-1268
90893	37	Cork Gasket . . . . .	8078-1318
	38	Gasket, $\frac{1}{8}$ "x $1\frac{1}{2}$ "x $27\frac{1}{2}$ " long lamp wick	
95268	39	Lamp Bulb, 120-Volt, 36-Watt Screw Base . . . . .	B-12409-6