


FOR OTHER DETAILS OF  
BRACKETS REFS. 4 & 5  
REFER TO PLATE B-2896



**ZCG UTILITY SCRAP  
UNION MO 63084**

UNION SWITCH & SIGNAL CO.

**COLOR LIGHT SEARCH LIGHT SIGNAL**

**DETAIL PARTS**

**STYLE "H" AND "H-2" INOPERATIVE SIGNALS**

These signal units to be used for fixed signals or markers where signal indications exactly the same as the operating signals are desired. Standard operating units cannot be used in these signals.

Unless otherwise specified unit will be furnished with red roundel.

**Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only**

Piece	Ref.	Description	Drawing Reference
	*A	Style "H" Inoperative Searchlight Signal Complete with Bracket Ref. 4 for side of Mast application, Conduit Ref. 6 and U-Bolts for 5" Pipe Mast.....	B-12609-
	*Aa	Style "H" Inoperative Searchlight Signal Complete with Bracket Ref. 5 for front or side of Mast application, Conduit Ref. 6 and U-Bolts for 5" Pipe Mast.....	B-12609-
182605	*B	Style "H-2" Inoperative Searchlight Signal Complete with Bracket Ref. 4 for side of Mast application, Conduit Ref. 6 and U-Bolts for 5" Pipe Mast.....	B-12609-66
182604	*Ba	Style "H-2" Inoperative Searchlight Signal Complete with Bracket Ref. 5 for front or side of Mast application, Conduit Ref. 6 and U-Bolts for 5" Pipe Mast.....	B-12609-65
		*Note—Unless otherwise stated Inoperative Signal Units will be furnished with U-Bolts for Application to 5" Pipe Mast.	
	2	Style "H" Inoperative Searchlight Signal Unit Complete (With red roundel) (For details refer to Plate B-2893).....	C-9104-
182595	3	Style "H-2" Inoperative Searchlight Signal Unit Complete (With red roundel) (For details refer to Plate B-2893).....	C-9104-10
182422	4	Supporting Bracket Complete for side of Mast application (For other details refer to Ref. C, Plate B-2896) (Without U-Bolts).....	C-9105-22
182423	5	Supporting Bracket Complete for front or side of Mast application (For other details refer to Ref. A, Plate B-2896) (Without U-Bolts).....	C-9105-22

UNION SWITCH & SIGNAL CO.

COLOR LIGHT SEARCH LIGHT SIGNAL  
(Continued)

DETAIL PARTS

STYLE "H" AND "H-2" INOPERATIVE SIGNALS

Order by Plate, Piece, Reference and Abbreviated Description Given in  
Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
	6	Conduit, $\frac{3}{4}$ " Galv. D.S. Flex. $\frac{13}{16}$ " I.D. x 1.148" O.D. 2' 6" Long with box connector and Union.	
182324	7	Supporting Bracket for Refs. 4 and 5.....	C-9105-21
182325	8	Adjusting Bracket for Refs. 4 and 5.....	C-9105-22

ZCG UTILITY SCRAP  
UNION MO 63084