


UNION SWITCH & SIGNAL CO.

Zachary C. Gillihan 2008



Height 10 $\frac{5}{8}$ ", Width 11 $\frac{5}{8}$ ", Depth 8 $\frac{1}{4}$ "

**STYLE TV-30 TWO-POSITION VANE RELAYS**

The TV-30 Relay may be applied to double rail track circuits on:

- (1) Steam Road.
- (2) Electric Road where propulsion is D.C. As a two-position relay it may be equipped with a maximum of 14 Front and 2 Back Contacts.

UNION SWITCH & SIGNAL CO.  
**Zachary C. Gillihan 2008**  
 STYLE TV-30 VANE TRACK RELAY  
 TWO-POSITION TWO ELEMENT

For details of Relay refer to Plate E-1073

Order by Plate, Piece, Reference and Description

Drawing references are shown for convenience in checking material with shipping lists and invoices.

| Piece | Ref. | Description  | Drawing Reference |
|-------|------|--|-------------------|
|       | A    | Style TV-30 2-Element 2-Position A. C. Vane Track Relay complete with 15 Front and 1 Back Independent Contacts Spec. 1343, 110 Volts, 60 Cycles (For diagrams of contacts See Plate E-1073 . . . . .)  | C-8295-4          |
|       | Aa   | Style TV-30 2-Element 2-Position A. C. Track Relay complete with 6 Front and 6 Back non-Independent Contacts (Two sets of Contacts per View "w" and two sets of Contacts per View "y" as shown on Plate E-1073) 110 Volts, 60 Cycles, Spec. 1343 . . . . . | C-8295-4          |