


UNION SWITCH & SIGNAL COMPANY

Zachary C. Gillihan 2008



MODEL 13 D. C. NEUTRAL RELAY (FOUR-POINT—SQUARE BASE)

Unless otherwise specified Relays will be furnished with silver to graphite front and silver to silver back contacts. (Low voltage contacts).

If high voltage contacts, or relays with slow or quick release are required, orders should so specify.

Shock absorber springs are not furnished unless called for. (See Plates E-4838 and E-5030).

The maximum contact combination is four front and four back non-independent contacts.

UNION SWITCH & SIGNAL COMPANY

MODEL 13 D. C. NEUTRAL RELAYS
(FOUR-POINT—SQUARE BASE)

For Details of the Four-Point Relay Refer to Plate E-4838.

Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only.

Piece	Ref.	Description	Drawing Reference
	A	Model 13 (Shelf Type) D. C. Square Base Relay, Magnets Ohms per Pair, complete with four front and two back low voltage non-independent contacts.....	C-8187-10
	Aa	Model 13 (Shelf Type) D. C. Square Base Relay, Magnets Ohms per Pair, complete with four front and four back low voltage non-independent contacts.....	C-8187-10
	B	Model 13 (Wall Type) D. C. Square Base Relay, Magnets Ohms per Pair, complete with four front and two back low voltage non-independent contacts.....	C-8187-16
	Ba	Model 13 (Wall Type) D. C. Square Base Relay, Magnets, Ohms per Pair, complete with four front and four back low voltage non-independent contacts.....	C-8187-16