



Plug Couplers for D. C. Relays

(4 and 6-Point "DP-14" having 4N-4R Polar Contacts)

Plug Couplers for D. C. Relays (4 and 6-Point "DP-14" having 4N-4R Polar Contacts)

All Terminal Posts fitted with Insulated Nuts unless otherwise noted.
Insulating Sleeves Ref. 25 for Nut Ref. 14 are not included with Plug Couplers
and if desired, orders should so state.

Order by Plate, Piece, Reference and Abbreviated
Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
219238	A	Plug Coupler Complete with R.H. and L.H. Plug Couplers and Clamping Pieces (Inc. 2-2, 1-3, 1-5 and 1-6) for "DP-14" Relays having 4N-4R Polar and 4F-4B Neutral Contacts (Relays supplied prior to September 1940, also require 2 each of Refs. 7, 8 and 9)	C-16749-2
221086	B	Plug Coupler Complete with R.H. and L.H. Plug Couplers and Clamping Pieces (Inc. 2-2, 1-4, 1-5 and 1-6) for "DP-14" Relays having 4N-4R Polar and 6F-6B Neutral Contacts	C-16749-5
108875	2	Clamping Piece for Refs. A and B	12770-25
219213	3	Plug Coupler with Insulated Nuts, for Ref. A	C-16749-2
221085	4	Plug Coupler with Insulated Nuts, for Ref. B	C-16749-5
219212	5	L.H. Plug Coupler with Insulated Nuts, for Polar Contacts for Refs. A and B	C-16749-2
219211	6	R.H. Plug Coupler with Insulated Nuts, for Polar Contacts for Refs. A and B	C-16749-2
210080	* 7	Terminal Post	8094-2207
72948	* 8	Nut	8109-383
161270	* 9	Insulated Block	8750-2348
		*To be used when changing coil leads from Posts "X" to new location.	
212012	10	Plug Coupler Body for Ref. 3 (For 4F-4B "DP-14" Neutral Contacts)	C-16750-9
	11	Terminal Post with Nuts, Washers, Insulated Nut, Contact Springs and Receptacle (Inc. 1-28a, 1-13, 2-14, 3-15, 2-16 and 1-17)	12451-
	12	Terminal Post with Nuts, Washers, Insulated Nut, Contact Springs and Receptacle (Inc. 1-28a, 1-13, 2-14, 3-15, 2-18 and 1-19)	12451-

Zachary C. Gillihan 2008

PLATE **E-5035-5**

UNION SWITCH & SIGNAL CO.

Plug Couplers for D. C. Relays

(4 and 6-Point "DP-14" having 4N-4R Polar Contacts)

(Continued)

Order by Plate, Piece, Reference and Abbreviated
Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
105713	13	Insulated Nut	12770-1
127260	14	Nut	8109-194
29102	15	Washer	7828-139
216193	16	Contact Spring	8385-2631
216192	17	Receptacle	11893-883
213265	18	Contact Spring	8385-2631
213371	19	Receptacle	11893-883
	20	Screw with Sleeve, Washers and Rivet (Inc. 1-20a, 1-21, 2-22 and 1-23) "Y" dim. $\frac{11}{16}$ ", "Z" dim. $2\frac{11}{16}$ " for Ref. 3	12471-
217015	20a	Screw Only ("Y dim. $\frac{11}{16}$ ", "Z" dim. $2\frac{11}{16}$ ")	8190-300
108876	21	Sleeve	8350-946
216197	22	Washer	7828-401
54921	23	Rivet	10301-1
224740	24	Name Plate	8225-586
224689	25	Insulating Sleeve (for Nut Ref. 14)	8095-752
142777	26	Tag (Orders should specify marking desired)	8988-75
221226	27	Plug Coupler Body for Ref. 4 (For 6F-6B "DP-14" Neutral Contacts)	C-16750-5
	28	Terminal Post with Nuts, Washers, Insulated Nut, Contact Springs and Receptacle (Inc. 1-28a, 1-13, 2-14, 3-15, 2-16, 1-17 and 1-29)	12451-
186848	28a	Terminal Post Only	8094-2207
31068	29	Washer	7828-144
	30	Screw with Sleeve, Washers and Rivet (Inc. 1-30a, 1-21, 2-22 and 1-23) "Y" dim. $\frac{33}{32}$ ", "Z" dim. $2\frac{11}{16}$ " for Ref. 4	12471-

Plug Couplers for D. C. Relays

(4 and 6-Point "DP-14" having 4N-4R Polar Contacts)

(Continued)

Order by Plate, Piece, Reference and Abbreviated Description Given in Heavy Face Type Only

Piece	Ref.	Description	Drawing Reference
221229	30a	Screw Only ("Y" dim. $\frac{3}{32}$ ", "Z" dim. $2\frac{1}{16}$ ").....	8190-300
219208	31	Plug Coupler Body for Ref. 5 (For "DP-14" Polar Contacts).....	C-16750-3
219207	32	Plug Coupler Body for Ref. 6 (For "DP-14" Polar Contacts).....	C-16750-3
	33	Terminal Post with Nuts, Washers, Insulated Nut, Contact Springs and Receptacle (Inc. 1-33a, 1-13, 2-14, 3-15, 2-16 and 1-17).....	12451-
122489	33a	Terminal Post Only.....	8094-1192